

Amendments to the Claims

The listing of claims will replace all prior versions and listing of claims in the application:

Listing of Claims:

Claims 1-28. (Cancelled)

29. (Currently amended) An expanded ~~enriched~~ T helper cell population expanded by subjecting cells derived from lymph nodes excised from patients infected with HIV to mitogenic stimulation in serum-free media for their expansion.
30. (Currently amended) An expanded ~~enriched~~ T helper cell population expanded by subjecting cells derived from lymph nodes excised from patients infected with HIV to mitogenic stimulation in serum-free media for their expansion, wherein said mitogenic stimulation includes the presence of Interleukin-2 (IL-2) and anti-CD3 monoclonal antibody.
31. (Currently amended) An expanded ~~enriched~~ T helper cell population expanded by subjecting cells derived from lymph nodes excised from patients infected with HIV to mitogenic stimulation in serum-free media for their expansion, wherein said mitogenic stimulation includes the presence of Interleukin-2 (IL-2) at about 600 IU/ml and anti-CD3 monoclonal antibody at between about 1 and 100 ng/ml.
32. (Currently amended) An expanded ~~enriched~~ T helper cell population expanded by subjecting cells derived from lymph nodes excised from patients infected with HIV to mitogenic stimulation in serum-free media for their expansion, wherein said mitogenic stimulation includes the presence of Interleukin-2 (IL-2) at about 600 IU/ml and anti-CD3 monoclonal antibody at between about 1 and 100 ng/ml, and wherein the amount of IL-2 is lowered to about 120 IU/ml after 7 days of expansion.
33. (Currently amended) An expanded ~~enriched~~ T helper cell population expanded by subjecting cells derived from lymph nodes excised from patients infected with HIV to mitogenic stimulation in serum-free media for their expansion, wherein said mitogenic stimulation includes the presence of Interleukin-2 (IL-2) at about

600 IU/ml and anti-CD3 monoclonal antibody at between about 1 and 100 ng/ml, wherein the amount of IL-2 is lowered to about 120 IU/ml after 7 days of expansion, and wherein said expansion extends to at least about 10 days.

34. (Currently amended) An expanded ~~enriched~~ T helper cell population expanded by subjecting cells derived from lymph nodes excised from patients infected with HIV to mitogenic stimulation in serum-free macrophage media for their expansion, wherein said mitogenic stimulation includes the presence of Interleukin-2 (IL-2) at about 600 IU/ml and anti-CD3 monoclonal antibody at between about 1 and 100 ng/ml.
35. (Currently amended) An expanded ~~enriched~~ T helper cell population expanded by subjecting cells derived from lymph nodes excised from patients infected with HIV to mitogenic stimulation in serum-free macrophage media for their expansion, wherein said mitogenic stimulation includes the presence of Interleukin-2 (IL-2) and anti-CD3 monoclonal antibody.

Claims 36-41. (Cancelled)